L Number	Hits	Search Text	DB	Time stamp
1	4		USPAT;	2004/09/26 22:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
2	5	"5184452"	USPAT;	2004/09/26 22:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	202502	/*** - ** 1 - h - \	IBM_TDB	
_	202583	(cam or lobe) and spring	USPAT;	2004/09/24 17:43
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	135388	(cam or lobe) same spring	USPAT;	2004/09/22 15:08
		tame of 1000, same opining	US-PGPUB;	2004/03/22 13:00
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	136650	(cam\$2 or lob\$2) same spring	USPAT;	2004/09/22 15:08
	1		US-PGPUB;	~
			EPO; JPO;	
	1		DERWENT;	
	10000		IBM_TDB	
-	137003	(cam\$2 or lob\$2) same spring\$2	USPAT;	2004/09/22 15:08
1	]		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	156710	(cam\$2 or lob\$2 or lever\$2) same (spring\$2	IBM_TDB USPAT;	2004/00/22 15:15
	130710	or bias\$4) same (rotat\$2 or forc\$4 or	US-PGPUB;	2004/09/22 15:15
		twist\$4 or torq\$3 or torsion\$6)	EPO; JPO;	
		0.0000000000000000000000000000000000000	DERWENT;	
			IBM TDB	
-	20657	(cam\$2 or lob\$2 or lever\$2) near3	USPAT;	2004/09/22 15:16
		(spring\$2 or bias\$4) near3 (rotat\$2 or	US-PGPUB;	
		forc\$4 or twist\$4 or torq\$3 or torsion\$6)	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	14672	1	USPAT;	2004/09/22 15:17
		(spring\$2 or bias\$4) near3 (rotat\$2 or	US-PGPUB;	
]		forc\$4 or twist\$4 or torq\$3 or torsion\$6)	EPO; JPO;	
		and (shaft\$2 or rod\$2)	DERWENT;	
_	1892	(cam\$2 or lob\$2 or lever\$2) near3	IBM_TDB	2004/00/22 15 22
	1052	(spring\$2 or bias\$4) near3 (rotat\$2 or	USPAT; US-PGPUB;	2004/09/22 15:39
		forc\$4 or twist\$4 or torq\$3 or torsion\$6)	EPO; JPO;	
	,	near5 (shaft\$2 or rod\$2)	DERWENT;	
		, ,	IBM TDB	
-	1952	(cam\$2 or lob\$2 or lever\$2) near3	USPAT;	2004/09/22 15:40
		(spring\$2 or bias\$4) near3 (rotat\$2 or	US-PGPUB;	
		forc\$4 or twist\$4 or torq\$3 or torsion\$6)	EPO; JPO;	
		near5 (shaft\$2 or rod\$2 or camshaft\$2)	DERWENT;	
			IBM_TDB	
-	6670	(cam\$2 or lob\$2 or lever\$2) near3	USPAT;	2004/09/22 16:58
		(spring\$2 or bias\$4) near3 (rotat\$2 or	US-PGPUB;	0
		<pre>forc\$4 or twist\$4 or torq\$3 or torsion\$6) same (shaft\$2 or rod\$2)</pre>	EPO; JPO;	
		same (sharras or rodas)	DERWENT;	
	6670	(cam\$2 or lob\$2 or lever\$2) near3	IBM_TDB USPAT;	2004/09/22 16:59
	55,0	(spring\$2 or bias\$4) near3 (rotat\$2 or	US-PGPUB;	2004/03/22 10:59
		forc\$4 or twist\$4 or torq\$3 or torsion\$6)	EPO; JPO;	
		same (shaft\$2 or rod\$2)	DERWENT;	
			IBM TDB	
-	695	corrigan.xa.	USPAT;	2004/09/23 19:06
		-	US-PGPUB;	
			EPO; JPO;	
[ [			DERWENT;	
			IBM_TDB	

-	34	corrigan.xa. and (unisia or Nissan)	USPAT;	2004/09/23 19:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	1583	123/90.16.ccls.	USPAT;	2004/09/26 17:13
i			US-PGPUB;	2004/03/20 17:13
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9935	(nissan or unisia) and spring\$2	USPAT;	2004/09/24 17:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	306	123/90.15-90.18.ccls. and (nissan or	USPAT;	2004/09/24 17:52
		unisia) and spring\$2	US-PGPUB;	2004/03/24 17:32
	ľ		EPO; JPO;	
	1		DERWENT;	
	0.551.05		IBM_TDB	
_	3651018	123/90.15-90.18.ccls. and (rocker\$2 or	USPAT;	2004/09/24 17:53
		lever\$2) and rotat\$5 on (rod or shaft\$2 or camshaft\$2)	US-PGPUB;	
		Camshart2/	EPO; JPO; DERWENT;	
1			IBM TDB	
-	1026	123/90.15-90.18.ccls. and (rocker\$2 or	USPAT;	2004/09/24 17:55
		lever\$2) and rotat\$5 near3 (rod or shaft\$2	US-PGPUB;	
		or camshaft\$2)	EPO; JPO;	·
			DERWENT;	
	726	100/00 15 00 10	IBM_TDB	
-	/36	123/90.15-90.18.ccls. and (rocker\$2 or	USPAT;	2004/09/24 17:54
		lever\$2) and rotat\$5 near3 (rod or shaft\$2)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	717	123/90.15-90.18.ccls. and (rocker\$2 or	USPAT;	2004/09/24 17:54
		lever\$2) and rotat\$5 near3 (shaft\$2)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		102/00 15 00:10 1 - 1 - 40	IBM_TDB	
		123/90.15-90.18.ccls. and (rocker\$2 or lever\$2) and rotat\$5 near3 on near3 (rod	USPAT; US-PGPUB;	2004/09/24 17:55
		or shaft\$2 or camshaft\$2)	EPO; JPO;	
		or shareful or cambinateful	DERWENT;	
			IBM TDB	
-	13	123/90.15-90.18.ccls. and (rocker\$2 or	USPAT;	2004/09/24 18:03
		lever\$2) and rotat\$5 near3 freely near3	US-PGPUB;	
		(rod or shaft\$2 or camshaft\$2)	EPO; JPO;	
			DERWENT;	
_	5623	(rocker\$2 or lever\$2) and rotat\$5 near3	IBM_TDB USPAT;	2004/09/24 18:04
		freely near3 (rod or shaft\$2 or	US-PGPUB;	2004/03/24 10:04
		camshaft\$2) not (123/90.15-90.18.ccls. and	EPO; JPO;	
		(rocker\$2 or lever\$2) and rotat\$5 near3	DERWENT;	
	1	freely near3 (rod or shaft\$2 or	IBM_TDB	
	100	camshaft\$2))	<u></u>	
~	482	<pre>(rocker\$2 or lever\$2) near5 rotat\$5 near3 freely near3 (rod or shaft\$2 or</pre>	USPAT;	2004/09/24 18:05
		camshaft\$2) not (123/90.15-90.18.ccls. and	US-PGPUB; EPO; JPO;	
		(rocker\$2 or lever\$2) and rotat\$5 near3	DERWENT;	
]		freely near3 (rod or shaft\$2 or	IBM TDB	
]		camshaft\$2))	<b>—</b>	
-	1817	(rocker\$2 or lever\$2) same rotat\$5 near3	USPAT;	2004/09/24 18:05
		freely near3 (rod or shaft\$2 or	US-PGPUB;	
		camshaft\$2) not (123/90.15-90.18.ccls. and	EPO; JPO;	
		<pre>(rocker\$2 or lever\$2) and rotat\$5 near3 freely near3 (rod or shaft\$2 or</pre>	DERWENT;	
		camshaft\$2))	IBM_TDB	
L				

_	0	123/90.15-90.18.ccls. and (rocker\$2 or	USPAT;	2004/09/26 16:40
	1	lever\$2) same rotat\$5 near3 freely near3	US-PGPUB;	
	1	(rod or shaft\$2 or camshaft\$2) same	EPO; JPO;	
		spring\$2 not (123/90.15-90.18.ccls. and	DERWENT;	
		(rocker\$2 or lever\$2) and rotat\$5 near3	IBM TDB	
	İ	freely near3 (rod or shaft\$2 or	_	1
		camshaft\$2))		
_	688	(rocker\$2 or lever\$2) same rotat\$5 near3	USPAT;	2004/09/26 17:13
		freely near3 (rod or shaft\$2 or	US-PGPUB;	
	1	camshaft\$2) same spring\$2 not	EPO; JPO;	
		(123/90.15-90.18.ccls. and (rocker\$2 or	DERWENT;	
		lever\$2) and rotat\$5 near3 freely near3	IBM TDB	
		(rod or shaft\$2 or camshaft\$2))	_	
-	1785	123/90.39-90.43.ccls.	USPAT;	2004/09/26 16:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1202	123/90.44-90.47.ccls.	USPĀT:	2004/09/26 16:35
			US-PGPUB;	
			EPO; JPO;	20
	1		DERWENT:	
			IBM TDB	
_	0	123/90.15-90.18.ccls. and (rocker\$2 or	USPAT;	2004/09/26 16:41
		lever\$2) same rotat\$5 near3 freely near3	US-PGPUB;	
		(rod or shaft\$2 or camshaft\$2) same	EPO; JPO;	
		spring\$2	DERWENT;	
			IBM TDB	
-	13810	(rocker\$2 or lever\$2) same pivot\$5 near3	USPAT;	2004/09/26 17:14
		(rod or shaft\$2 or camshaft\$2) same	US-PGPUB;	
		spring\$2 not (123/90.15-90.18.ccls. and	EPO; JPO;	
		(rocker\$2 or lever\$2) and rotat\$5 near3	DERWENT;	
		freely near3 (rod or shaft\$2 or	IBM_TDB	
		camshaft\$2))	-	
-	1899	( process process	USPAT;	2004/09/26 17:25
		(rod or shaft\$2) same spring\$2 and engine	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	137	123/90.15-90.18.ccls. and (rocker\$2 or	USPĀT;	2004/09/26 22:45
		lever\$2) same pivot\$5 near3 (rod or	US-PGPUB;	1
		shaft\$2) same spring\$2	EPO; JPO;	
			DERWENT;	
		*	IBM TDB	<u> </u>